## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1.   (currently amended): A pneumatic tire comprising a rubber member as a sidewall

portion, in which the rubber member is made from a rubber composition comprising 0.1-10 parts

by mass of at least one of non-ionic surfactants represented by the following ~~formulae (I), (II)~~

~~and (III)~~ formulae (I) and (II) based on 100 parts by mass of at least one rubber component

selected from natural rubber and synthetic diene rubbers:

$$H(OCH_2CH_2)_lO \quad \overbrace{\qquad}^{O} \quad CH_2OCOR^1$$
$$O(CH_2CH_2O)_nH$$
$$O(CH_2CH_2O)_mH$$

····· (I)

$$O(CH_2CH_2O)_nH$$
$$H(OCH_2CH_2)_lO \quad \overbrace{\qquad}^{O} \quad CHCH_2OCOR^1$$
$$O(CH_2CH_2O)_mH$$

····· (II)

(wherein R^1 is an alkyl group or an alkenyl group having a carbon number of 15 to 24,

provided that the alkyl group and alkenyl group may be a straight-chain, a branched chain or a

cyclic, and each of l, m and n is a numeral of 1 to 10)~~;~~

2

~~R²-O-(CH₂CH₂O)ₚH ⸱⸱⸱⸱⸱ (III)~~

~~(wherein R² is an alkyl group or an alkenyl group having a carbon number of 18 to 24,~~

~~provided that the alkyl group and alkenyl group may be a straight-chain, a branched-chain or a~~

~~cyclic, and p is a numeral of 1 to 10).~~

2.   (previously presented): A pneumatic tire according to claim 1, wherein at least

one of the non-ionic surfactant represented by the formula (I) and at least one of the non-ionic

surfactant represented by the formula (II) are compounded in an amount of 0.1-10 parts by mass

in total based on 100 parts by mass of the rubber component.

3.   (previously presented): A pneumatic tire according to claim 1, wherein a balance

value between hydrophilic nature and lipophilic nature (HLB value) in the non-ionic surfactant is

2-19.

4.   (previously presented): A pneumatic tire according to claim 1, wherein each of l,

m and n in the non-ionic surfactant represented by the formula (I) is not less than 6.

5.   (previously presented): A pneumatic tire according to claim 4, wherein each of l,

m and n is 6.

6.   (previously presented): A pneumatic tire according to claim 1, wherein R^1 of the

formula (I) is an alkyl group or an alkenyl group having a carbon number of 18.

7.   (previously presented): A pneumatic tire according to claim 3, wherein the HLB

value of the non-ionic surfactant represented by the formula (I) is 8-10.

8.   (previously presented): A pneumatic tire according to claim 1, wherein each of 1,

m and n in the non-ionic surfactant represented by the formula (II) is not less than 6.

9.   (previously presented): A pneumatic tire according to claim 8, wherein each of 1,

m and n is 6.

10.   (previously presented): A pneumatic tire according to claim 1, wherein R^1 of the

formula (II) is an alkyl group or an alkenyl group having a carbon number of 18.

11.   (previously presented): A pneumatic tire according to claim 3, wherein the HLB

value of the non-ionic surfactant represented by the formula (II) is 8-10.

Claims 12-17 (canceled).